

VIPCOO VS9

VIPCOO

U S E R M A N U A L

Our official website

Subscribe to the official VIPCOO website to stay up-to-date on the latest news, maintenance tips and product discounts.



Official VIPCOO Website
(US): <https://vipcoo.com/>



Official VIPCOO Website
(UK): <https://vipcoo.co.uk/>

Share the Ride and Get Paid!

Turn your passion into profit by joining our affiliate program! Share your love for our product with your friends, family, and followers, and earn commissions for every sale you generate. It's a win-win!

Contact us and learn more.

Follow VIPCOO Social Media!

Product maintenance secrets and expert advice\ Stunning photos and behind-the-scenes stories\ Honest reviews and helpful tutorials\ VIP access to contests, giveaways, and deals just for our followers!



Facebook: <https://www.facebook.com/vipcooscooter/>



Instagram: https://www.instagram.com/vipcoo_official/



YouTube: <https://www.youtube.com/@VIPCOO>

Join the VIPCOO Facebook Group!

Share your rides, ask questions, and connect with fellow electric-riding enthusiasts. Get online support within 24 hours on weekdays, exclusive discount codes, product testing opportunities & other special offers!

<https://www.facebook.com/groups/vipcooofficialgroup>



CONTENT

CONTENT & USE MANUAL.....	1~3
Product & Component Display.....	4~5
Product Parameters	6
Products & Accessories	7
Product Installation	8~9
Product Folding	10
Power on and off & Button Function Introduction.....	11
Safe Driving Warning	12~13
Battery & Charging	14~15
After Sales	16
Limited Warranty	17
Warranty Card	18

USER MANUAL

PLEASE READ THE INSTRUCTIONS CAREFULLY BEFORE RIDING

VIPCOO



Scan QR Code Or Enter URL for Online Installation Video

https://www.youtube.com/playlist?list=PLQ1eamCE_z6gs1hzO2YJIA5vVYQW1ukrf



Read This Manual Before Using

Why Is It Necessary To Read This Manual Before Operating?

- 1、 This manual was written to help you understand the proper use and maintenance of the VIPCOO line of Electric Scooter.
- 2、 It is important to understand the functions and features of the new VIPCOO before operating it as it will allow you to enjoy it from every ride.



Disclaimer & Warning

During the cycling process, comprehensive safety measures should be taken, and risk awareness and good judgment should be maintained at all times to avoid injuries as much as possible.

- The user must be an adult.
- The responsibility for VIPCOO maintenance is yours! Proper and frequent maintenance will reduce risks of injuries.
- Please wear a helmet, protective gear, and other safety measures when riding.
- Always follow local laws and regulations.
- Do not perform stunts, spins or jumps; if you insist on doing these dangerous actions, please take full protective measures.

Product & Component Display




01: Front brake lever
02: Display
03: Front stem
04: Folding lock bolt
05: Headlights

06: Front mudguard
07: Front suspension
08: Front Motor
09: Front wheel
10: Kick stand

11: Rear suspension
12: Brake light & Turn Signal Light
13: Rear mudguard
14: Rear disc brake
15: Rear Motor

Product & Component Display



01: Brake lever

02: Horn

03: Headlight switch

04: Power on button/
Riser Ambient Light Switch

05: Upshift key

06: Downshift key

07: Turn signal switch

08: Single/double motors button

09: Voltage display

10: Speed

11: Gear

12: Single/double motors display

13: Mileage

14: Finger throttle

15: Brake lever

Product Parameters

Model	VC-VS9	Tire Size	11 inch
Battery	60V/26Ah	Tyre Type	Pneumatic tire
Power	1800w*2	Charging time	6~7hours
Display Screen	Color	Frame Material	Lron
Range	≤ 90KM	Net Weight	45.7KG
Max Load	150KG	Gross Weight	53.5KG
Brake	Front and rear disc brake	Package Size	133*26*70cm
Light	Front LED headlights, turn signal and tail lights, Ambient light		
Adapter	Input 100-240V~50/60Hz 2.5A, Output 67.2V 2.0A		
The weight of the tester is 85kg, speed under 25km/h and the range of the flat road test is ≤ 90km. The length of the range depends on the weight of the rider, the riding conditions, and the temperature; If the weight of the cyclist exceeds 85kg, the road conditions are rough, and the temperature is low, the range will be correspondingly shortened.			

Products & Accessories



SERIAL NUMBER	ITEM	QUANTITY
1	Instructions	1
2	Charger	2
3	Toolkit	1

Product Installation

- 01 Open the package, you should receive these items



- 02 Install the stem in upright position



- 03 Press the folding latch firmly until you hear a click for full locking



- 04 Using the tool, remove the four screws on the handlebar clamp



- 05 Position the handlebar into the clamp slot at the top of the stem, then adjust the angle



- 06 Using the tool, tighten the handlebar clamp with the four screws removed earlier



07

Adjust the display angle, then tighten the screws on both sides



08

Align the mounting holes of the headlight bracket with corresponding holes on the vehicle frame



09

Using the tool, tighten the two screws from the packaging strap



10

Connect the two headlight plugs following the arrow alignment indicators



11

Remove the four screws on the rear fender bracket



12

Align the mounting holes on the fender with the bracket holes, then tighten the four screws removed earlier. Assembly complete.



Product Folding

01 Ready to fold



02 Lift the safety lock button upward on the folding mechanism



03 Simultaneously push the folding latch forward with firm force



04 Gently fold the steering column downward



05 Folding complete



Power On & Unlock

Long press the power button



to enter the password input interface



, press the ,

power button



three times to enter the three zero password



and then quickly

press the power button



twice to unlock it.



is activated and ready to go.

When you see this on the screen, your scooter

When the lights are on, short press the power button



to turn on or off the ambient light .

Short press the M



key after activating to switch between rear wheel drive and two wheel drive.

The activating process takes a short period of time, and it is normal for the screen to turn off if the process has been paused for too long.

After activating the scooter, please wear a helmet and PPE(Personal Protective Equipment) before riding, and ensure that all functions of the scooter especially braking are functioning well before setting off.

Safe Driving Warning

Certain countries of regions require safety devices or gear. It is your responsibility to know the state laws and follow them. However, we strongly recommend safety gears to be donned before operating the device.

TIRE AIR PRESSURE: THE TIRE IS PRESSURIZED TO THE STANDARD VALUE ON THE TIRE

SAFETY GEAR

Helmet: Most common and serious injuries from riding are head injuries. This can be prevented by donning a helmet. You must wear a helmet when riding the VIPCOO Scooter. The helmet must be worn according to their instruction.

MECHANICAL SAFETY

Before using the VIPCOO Scooter:

- 1) Always perform a visual inspection of all screws and nuts are tight and in place. If anything is amiss or missing and you are unsure, please contact the seller to confirm safety before use.
- 2) Check the tires and wheels and that it is not showing signs of wear and tear; Always ensure that the brake mechanism is not touching the wheels and allows free spinning.
- 3) Always perform mechanical checks of brakes and other parts of the scooter that allows visibility, safety and functionality of the scooter to be.

RIDING SAFETY

- 1) Put one foot on the board and the other on the ground.
- 2) Press the accelerator lever slightly, and the scooter accelerate, Put both feet on the board after you can keep balance. Press down the lever to speed the scooter up.
- 3) Release the accelerator to slow down, Squeeze the brake lever at the left handle bar to stop the scooter.
- 4) Tilt your body slightly to the side you want to turn, and slowly turn the handlebars.
- 5) Do not ride in the rain.
- 6) Please slow down before speed bump, potholes and other uneven surface. Bend your knees to steady yourself on the complex road.
- 7) Do not accelerate downhill.
- 8) Do not hang heavy objects such as backpack on the handlebars.
- 9) Do not press the accelerator when you walk on foot.
- 10) Do not ride on the roadways.
- 11) Do not turn suddenly at high speed.
- 12) No riding to water above 2cm.
- 13) No riding with another person or a child.
- 14) Do not step on the fender.
- 15) Do not touch the disk brake after brake frequently, it will be very hot!
- 16) Do not release the handlebars in riding!
- 17) No riding upstairs or downstairs!

Battery & Charging

BATTERY

- **Do not charge indoors.**
- Do not turn on and operate the scooter while charging.
- Keep the battery away from children, pets or direct heat.
- Do not expose the battery to high temperature and pressure.
- Please use the charger included with the scooter for charging.
- Please do not throw away batteries at will to avoid polluting the environment.
- Do not store the scooter over a long period of time with an almost empty battery.
- From time to time, discharge the battery by riding. Have the battery recharge again and make sure to not leave battery fully empty.

Do not charge if the scooter has the following conditions occur:

- The battery leaks.
- The battery is damaged.
- The battery heats up or is deformed.
- The bottom or overall of the deck overheats.

The use, storage or charging of the battery outside specified limits may result in the annulment of the warranty, battery damage and an effective battery charging.

Battery & Charging

First Charge

It is important to fully charge the battery before your first use of the scooter.

Your scooter's battery comes with these built-in features:

1. Balanced charging protection: During charging, the battery automatically balances the voltage among the internal cells to protect each cell.
2. Over-charging protection: The battery stops charging automatically when full to protect against damage.
3. Over current protection: The battery automatically stops charging if the voltage is higher than prescribed voltage to protect the battery.
4. Over discharging protection: The battery automatically stops discharging when its voltage drops below Under voltage value to protect the battery.
5. Short-circuit protection: the battery automatically stops output in the case of a short-circuit.

How to charge

1. **Do not charge indoors.**
2. Ensure that scooter is **TURNED OFF**. Connect external power charger to scooter.
3. Connect charger to electrical outlet, then turn on the power of electrical outlet.
4. Do not charge the batteries in temperatures below 5 °C or above 40 °C. The battery may stop the charging process.
5. The charger lights up RED- The battery is charging. The charger lights up GREEN – The battery is fully charged.
6. After the battery is fully charged, please unplug the charger in time.

After Sales

Dear customer,

Thank you for choosing our product! To ensure that you can install and use our product smoothly, we strongly recommend that you visit our official website to view the related video installation tutorials and after-sales parts replacement videos.

On our official website, you can find detailed video tutorials that guide you on how to correctly install and use our product. In addition, we also provide after-sales parts replacement videos to ensure that you can correctly perform the replacement when needed.

We hope these videos will help you better understand and use our product. If you still have questions or concerns after watching the videos, please feel free to contact our customer service team, and we will be happy to assist you.

Thank you again for your purchase and support!

Wishing you a pleasant user experience!



<https://www.vipcoo.com>



<https://www.youtube.com/@VIPCOO>

Limited Warranty

BY USING THIS PRODUCT YOU AGREE TO THIS LIMITED WARRANTY.
PLEASE READ THIS LIMITED WARRANTY CAREFULLY.

To benefit from the limited warranty, the customer is advised to read VIPCOO Warranty terms together with the “care and maintenance” sections provided in the user manual. This limited warranty applies to the extent permitted by law and unless restricted or prohibited by law.

Attentions for warranty Faults caused by any of following causes are not within the scope of warranty:

1. Failed to maintain according to this user manual.
2. Product damage or defects caused by improper driver operation.
3. Damage caused by misuse, traffic accident or accidental collision.
4. Damage caused by riding on abnormal roads or accidental collision.
5. Damage of the vehicle caused by natural disaster or irresistible force.
6. Products which have had their serial numbers removed or tampered with.
7. Defects or malfunctions of the product not notified by customer during the Warranty Period.
8. Products used for commercial purposes including but not limited to leasing/hiring, use in competitions etc.
9. Performing high-risk actions such as stunts, spinning, or jumping lead to rapid aging or malfunction of the product.
10. Expose this product under blazing sun or outdoor for along time,as that will speed up the aging process of the product and cause malfunction.
11. Defects or damages from improper storage, exposure to moisture or dampness, modifications, connections, repairs (except as carried out by VIPCOO or its authorised centres), misuse, neglect, abuse, accident, alteration, improper installation, or other acts which are not the fault of VIPCOO , including damage caused by dropping, blown fuses, liquid entering the interior of theproduct.

PLEASE ALWAYS KEEP THE BOX FOR ANY POSSIBLE FUTURE AFTER-SALES SHIPMENT

Warranty Card

Dear user, Thanks for using our electric scooter. Please fill in the form below clearly for sake of better after-sale services.

User	Name		Workplace	
	Tel			
	Add			
Date of Purchase			Serial number	
Model			VIN	
Invoice Number			Battery serial number	
Distributor	Name			
	Contact			
Note				

Shenzhen Tianjia International Supply Chain Co.,Ltd.

Address: Room 505, building 1, Liuwei business center, Bantian street, Longgang District,



Shenzhen China



WhatsApp: +8613612953725



Customer support: support@vipcoo.com



Official website: www.vipcoo.com

VIPCOO

VIPCOO